

**LISTING OF THE CLAIMS:**

The listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method, comprising:  
providing for one or more contacts to be included in an e-mail message addressed to a unique e-mail address;  
receiving the e-mail message at a server associated with the unique e-mail address;  
extracting the one or more contacts from the e-mail message;  
determining a wireless device to send the one or more contacts to by extracting delivery data contained in the e-mail message;  
generating one or more messages formatted specifically for the wireless device, wherein the one or more messages contain the one or more contacts;  
checking if the wireless device is registered with the server; and  
sending the one or more messages to the wireless device if the wireless device is registered with the server.
2. (Original) The method of claim 1, further comprising sending an error message to a user that sent the e-mail message, if the wireless device is not registered with the server.
3. (Original) The method of claim 1, further comprising sending an invitation message to the wireless device to register with the server.
4. (Original) The method of claim 1, further comprising adding the contacts received in the e-mail to a contact list stored on the server.
5. (Original) The method of claim 1, wherein the wireless device is an SMS-enabled wireless device.
6. (Original) The method of claim 1, wherein the delivery data includes a phone number, a recipient's e-mail address, a user ID, a sender's e-mail address.
7. (Original) The method of claim 6, wherein the delivery data is extracted from a subject section of the e-mail message.

8. (Original) The method of claim 6, wherein the delivery data is extracted from the body section of the e-mail message.
9. (Original) The method of claim 6, wherein the delivery data is extracted from a v-card tag within the e-mail message.
10. (Original) A method, comprising:
  - providing for one or more calendar events to be included in an e-mail message addressed to a unique e-mail address;
  - receiving the e-mail message at a server associated with the unique e-mail address;
  - extracting the one or more calendar events from the e-mail message;
  - determining a wireless device to send the one or more calendar events to by extracting delivery data contained in the e-mail message;
  - generating one or more messages formatted specifically for the wireless device, wherein the one or more messages contain the one or more calendar events;
  - checking if the wireless device is registered with the server; and
  - sending the one or more messages to the wireless device if the wireless device is registered with the server.
11. (Original) The method of claim 10, further comprising sending an error message to a user that sent the e-mail message, if the wireless device is not registered with the server.
12. (Original) The method of claim 10, further comprising sending an invitation message to the wireless device to register with the server.
13. (Original) The method of claim 10, further comprising adding the calendar events received in the e-mail to an events list stored on the server.
14. (Original) The method of claim 10, wherein the wireless device is an SMS-enabled wireless device.
15. (Original) The method of claim 10, wherein the delivery data includes a phone number, a recipient's e-mail address, a user ID, a sender's e-mail address.
16. (Original) The method of claim 15, wherein the delivery data is extracted from a subject section of the e-mail message.

17. (Original) The method of claim 15, wherein the delivery data is extracted from the body section of the e-mail message.
18. (Original) The method of claim 15, wherein the delivery data is extracted from a v-card tag within the e-mail message.
19. (Original) A method, comprising:  
providing for a text message to be entered into a wireless device and sent to a unique phone number;  
receiving the text message at a server; and  
storing the text message in a user account on the web server associated with the wireless device.
20. (Original) The method of claim 19, further comprising:  
determining an e-mail address to send the text message to from delivery data sent with the text message; and  
sending the text message to the e-mail address if the wireless device is registered with the server.
21. (Original) The method of claim 20, wherein the delivery data includes a phone number of the wireless device and the e-mail address.
22. (Original) The method of claim 19, further comprising:  
sending an error message to the wireless device if the wireless device is not registered with the server.
23. (Original) The method of claim 20, further comprising:  
sending an invitation to the e-mail address, if the e-mail address is not registered with the server.
24. (New) A method, comprising:  
providing for one or more contacts to be selected via a web browser from a first contact list stored on a web server; and  
sending the one or more contacts to an SMS-enabled wireless device if the wireless device is registered with the web server.

25. (New) The method of claim 24, further comprising checking if the wireless device is registered on the web server and associated with the first contact list.
26. (New) The method of claim 24, wherein the wireless device is registered on the web server and associated with a user.
27. (New) The method of claim 24, further comprising:  
synchronizing a second contact list stored on the wireless device with the first contact list with a single click of a button on a web browser.
28. (New) The method of claim 24, further comprising:  
storing profile information on the web server, including the first contact list, a user name, a vcard type associated with the wireless device, a phone number associated with the wireless device and an e-mail address.
29. (New) The method of claim 28, wherein sending the one or more contacts, comprises sending one or more vcards associated with each of the one or more contacts from the web server to the wireless device.
30. (New) The method of claim 24, further comprising sending the one or more contacts to a plurality of SMS-enabled devices.
31. (New) The method of claim 24, further comprising:  
saving the contacts on a database if the wireless device is not registered with the web server;  
sending the contacts from the database to the wireless device once the wireless device is registered with the web server; and  
adding the contacts to a second contact list on the web server associated with the wireless device once the wireless device is registered with the web server.
32. (New) The method of claim 31, further comprising:  
sending the wireless device an alert that the contacts have been received and will not be available unless the wireless device is registered with the web server; and  
sending the wireless device an invitation to register with the web server if the wireless device is not registered with the web server.
33. (New) The method of claim 31, further comprising:

sending an e-mail message to a user indicating the wireless device is not registered with the web server if the wireless device is not registered with the web server.

34. (New) The method of claim 24, further comprising:
  - determining if a receive buffer in the wireless device has sufficient space to store the contacts;
  - sending some of the contacts to fill the receive buffer;
  - alerting the wireless device that the receive buffer is full; and
  - sending any remaining contacts of the contacts once the receive buffer has space.
35. (New) The method of claim 24, further comprising sending multiple business contacts relating to a common category, wherein the common category includes restaurants, plumbers, and movie theaters.
36. (New) The method of claim 24, further comprising:
  - determining a type of vcard sent by the wireless device; and
  - formatting the contacts to match the type of vcard used by the wireless device.
37. (New) The method of claim 24, further comprising resending one or more unsent contacts of the one or more contacts that are not received by the wireless device.
38. (New) A method, comprising:
  - receiving one or more contacts at a web server from an SMS-enabled wireless device having a first contact list; and
  - adding the one or more contacts to a second contact list on the web server.
39. (New) The method of claim 38, wherein the wireless device is registered on the web server and associated with the contact list.
40. (New) The method of claim 38, wherein the wireless device is registered on the web server and associated with a user.
41. (New) The method of claim 38, further comprising:
  - synchronizing the first contact list stored on the wireless device with the second contact list with a single click of a button on a web browser.

42. (New) The method of claim 38, wherein receiving the one or more contacts, comprises receiving at the web server one or more vcards associated with each of the one or more contacts from the wireless device.

43. (New) The method of claim 38, further comprising:  
storing profile information on the web server, including the second contact list, a user name, a vcard type associated with the wireless device, a phone number associated with the wireless device and an e-mail address.

44. (New) The method of claim 43, further comprising matching a phone number of the wireless device with the profile information.

45. (New) A method, comprising:  
providing for one or more contacts to be selected via a web browser from a first contact list stored on a web server;  
adding the contacts to a second contact list; and  
sending the contacts to an SMS-enabled wireless device.

46. (New) A method, comprising:  
receiving a contact from a first wireless device;  
storing the contact on a first contact list stored on a the web server;  
storing the contact on a second contact list stored on the web server; and  
sending the contact to a second SMS-enabled wireless device.